

MSDS

Page 1

Section 1

PRODUCT NAME: KIARA SKY GEL POLISH HMIS CODE: H F R P
 PRODUCT CODE: KSGP 1 0 0 B

MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: KIARA SKY PROFESSIONAL NAILS
 EMERGENCY PHONE: 1800-255-3924 CONTRACT: MIS2294037
 OUTSIDE of the US NO: +01-813-248-0585 PREPARED BY: PRODUCT SAFETY
 DATE PRINTED: 3/22/2014

Section 2 HAZARDOUS INGREDIENTS/SARA III INFORMATION

	CAS #	OSHA-PEL	WEIGHT
METHACRYLATE OLIGOMER	72869-86-4	NOT ESTABLISHED	45
HYDROXYPROPLYL METHACRYLATE	27813-02-1	"	25
MONOMER	868-79-9	"	20
PHOSPHINE OXIDE ESTER	75980-60-8	"	5
HYDROXYCYLOHEXYLPHENYL KEYTONE	947-19-3	"	4
ALKYL QUARTERNARY AMMONIUM CLAY	81544-810-2	"	1

COLORS MAY CONTAIN INCI LISTED PIGMENTS .01 TO 10

TIO2	CAS-12001-26-6	RED 7	CAS- 5281-04-9
RED 33	CAS-3567-66-6	RED 34	CAS- 6417-83-0
OXIDE BLACK	CAS-12227-89-3	OXIDE BROWN	CAS- 12227-89-3
OXIDE RED	CAS 1309-37-1		
OXIDE GREEN	CAS 1308-38-9		
ALK 1 BLUE	CAS 15792-67-3		
YELLOW 5	CAS-12225-21-7		
IRON BLUE	CAS 25869-00-5		

ULT. BLUE CAS- 57455-37-5
10 YELLOW CAS 68814-04-0
OXIDE YELLOW CAS- 51274-00-1
OXIDE RUSSET CAS 12227-89-3
BLACK 2 CAS- 1333-86-4
RED 6 BA LK CAS 17852-98-1

*** No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present.

SECTION 3 PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: NOT AVAILABLE DENSITY: 1.0-1.5
VAPOR DENSITY: HEAVIER THAN AIR EVAPORATION RATE: NOT APPLICABLE
SOLUBILITY IN WATER: INSOLUBLE
APPEARANCE AND ODOR: CLEAR OR COLORED LIQUID, SLIGHT ODOR

SECTION 4 FIRE AND EXPLOSION HAZARD DATA

FLASH POINT >200 METHOD USED: Cc
EXTINGUISHING MEDIA: FOAM, CO2, DRY CHEMICAL

SPECIAL FIREFIGHTING PROCEDURES

AVOID PROLONGED BREATHING OF FUMES. FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS. USE WATER TO KEEP CLOSED CONTAINERS COOL.

UNUSUAL FIRE AND EXPLOSION HAZARDS

VAPORS MAY IGNITE EXPLOSIVELY. VAPORS MAY TRAVEL LONG DISTANCES. EXPOSURE OF CLOSED CONTAINERS TO EXCESSIVE HEAT MAY CAUSE DISRUPTIVE PRESSURE.

NOTE: THE FLASH POINT INDICATED IS THE LOWEST OF ALL COMPONENT MATERIALS IN THIS PRODUCT, NOT FOR THE ENTIRE MIXTURE.

SECTION 5

REACTIVITY DATA

STABILITY: STABLE BUT WILL CURE UNDER UV OR LED LIGHT

CONDITIONS TO AVOID

AVOID HEAT, FIRE AND OPEN FLAME. KEEP FROM FREEZING

INCOMPATIBILITY (MATERIALS TO AVOID)

AVOID CONTACT WITH STRONG ACIDS, ALKALIES AND OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION OR BY PRODUCTS

THERMAL DECOMPOSITION MAY CREATE CARBON MONOXIDE AND CARBON DIOXIDE AND OTHER TOXIC FUMES.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION 6

HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

PROLONGED BREATHING OF VAPORS CAN CAUSE HEADACHES, NAUSEA AND/OR NARCOSIS.

OVEREXPOSURE BY INHALATION MAY LEAD TO IRRITATION OF LUNGS AND/OR RESPIRATORY TRACT.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

SKIN CONTACT MAY CAUSE IRRITATION, INCLUDING DRYNESS AND CRACKING OF THE SKIN. EYE CONTACT MAY CAUSE IRRITATION INCLUDING STINGING, TEARING, REDNESS, AND SWELLING OF EYES.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

INGESTION MAY CAUSE IRRITATION TO THE THROAT AND INTESTINAL TRACT, AND MAY CAUSE NAUSEA, DIARRHEA OR VOMITING

CARCINOGENICITY: NTP CARCINOGEN: NO IARC MONOGRAPHS: NO OSHA
REGULATED: NONE

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE
PRE-EXISTING EYE, SKIN OR RESPIRATORY DISORDERS CAN BE AGGRAVATED BY
EXPOSURE TO THIS PRODU

SECTION 7 PRECAUTION FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

REMOVE ALL SOURCES OF IGNITION. VENTILATE AREA. DIKE SPILL AREA AND
ABSORB USING A SUITABLE ABSORBENT MATERIAL.

WASTE DISPOSAL METHOD

DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL
REGULATIONS. EMPTY CONTAINERS MAY CONTAIN PRODUCT RESIDUE. DISPOSE OF
EMPTY CONTAINERS IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

KEEP CONTAINERS CLOSED WHEN NOT IN USE. KEEP ALL FOUNTAINS, ROLLER TRAINS
AND PUMP CONTAINERS COVERED TO PREVENT EVAPORATION OF THE VOLATILE PORTION
OF THE PRODUCT. STORE AWAY FROM SOURCES OF OPEN FLAME OR EXCESSIVE HEAT.
DO NOT STORE IN DIRECT SUNLIGHT. KEEP FROM FREEZING. STORE IN A WELL
VENTILATED AREA.

OTHER PRECAUTIONS

AVOID PROLONGED BREATHING OF FUMES OR VAPORS. AVOID EYE CONTACT OR PROLONGED SKIN CONTACT. WASH HANDS AND FACE AFTER USING THIS PRODUCT, ESPECIALLY BEFORE EATING OR SMOKING. THIS PRODUCT IS NOT FORMULATED FOR USE WHERE IT MIGHT BECOME A FOOD ADDITIVE.

SECTION 8 CONTROL MEASURES

RESPIRATORY PROTECTION

AS NEEDED TO PREVENT INHALATION OF VAPORS IN EXCESS OF THE TLV.

VENTILATION

GENERAL VENTILATION WITH MINIMUM RATE OF ONE CUBIC FOOT PER MINUTE PER SQUARE FOOT OF FLOOR AREA, INCLUDING PITS, WHERE FLAMMABLE VAPORS MAY ACCUMULATE.

PROTECTIVE GLOVES

PROTECTIVE GLOVES SHOULD BE WORN WHERE PROLONGED SKIN CONTACT MAY OCCUR.

EYE PROTECTION

CHEMICAL RESISTANT GLASSES OR GOGGLES SHOULD BE WORN TO PREVENT SPLASHING INTO THE EYES.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

AS DEEMED NECESSARY

WORK / HYGIENIC PRACTICES

WASH HANDS AND FACE THOROUGHLY AFTER USING THIS PRODUCT, ESPECIALLY BEFORE EATING OR SMOKING.

SECTION 9

DISCLAIMER

YOU SHOULD CONSIDER THE ASSISTANCE OF INDIVIDUALS TRAINED IN THE PROPER EVALUATION OF HEALTH-RELATED DATA. WHILE WE BELIEVES THAT THE DATA SET FORTH IN THIS SHEET IS ACCURATE, WE MAKES NO WARRANTY WITH RESPECT THERE TO AND EXPRESSLY DISCLAIMS ALL LIABILITY FOR RELIANCE THEREON. PRODUCT IS FOR PROFESSIONAL USE ONLY AND SHOULD BE TESTED THOROUGHLY BEFORE USE AND PACKAGING. THIS MSDS SUPERCEEDS ANY PREVIOUS MSDS.

SECTION 14

TRANSPORTATION INFORMATION

THE BASIC DESCRIPTION (ID NUMBER, PROPER SHIPPING NAME, HAZARD CLASS & DIVISION, PACKING GROUP) IS SHOWN FOR EACH MODE OF TRANSPORTATION. ADDITIONAL DESCRIPTIVE INFORMATION MAY BE REQUIRED BY 49 CFR, IATA/ICAO, IMDG, SCT, ADGR AND THE CTDGR.

49 CFR (GND)

CONSUMER COMMODITY, ORM-D ($\leq 1.0L$)

UN1263, PAINT, 3, II ($> 1.0L$)

IATA (AIR)

CONSUMER COMMODITY, 9, ID8000 ($\leq 0.5L$)

UN1263, PAINT, 3, II ($> 0.5L$)

IMDG (OCN)

UN1263, PAINT, 3, II, LTD QTY ($\leq 1.0L$)

UN1263, PAINT, 3, II ($> 1.0L$)

TDGR (CANADIAN GND)

MARK PACKAGE "LIMITED QUANTITY" OR "QUANTITE LIMITEE" or "LTD QTY" or "QUANT LTEE" ($\leq 1.0 L$)

UN1263, PAINT, 3, II ($> 1.0 L$)

ADR/RID (EU)

UN1263, PAINT, 3, II, ADR, LTD QTY ($\leq 1.0 L$)

SCT (MEXICO)

UN1263, PINTURA (INFLAMMABLE), 3, II, CANTIDAD LIMITADA ($\leq 1.0 L$)

ADGR (AUS)

UN1263, PAINT, 3, II, LTD QTY ($\leq 1.0 L$)